

ExamsLabs

ExamsLabs

HOME

ALL VENDORS

GUARANTEE

FAQ

TESTIMONIALS

CART (0)

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.



Select a vendor...

Select an test...

Your email address

Free Download Demo

Try **Online Engine** before you buy

Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.

PDF format: Easy to read and print learning materials, our products are available in PDF file format.

Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.

What Client's Say

"I passed today with score 80%. I confirm that it's valid in UK. Focus on "Correct answer" and forget the "Answer X from real test". I had free new questions.



Sebastian
★★★★★

"Questions from this HPE0-S51 dump are 100% valid... not all answers. I passed this exam a few days ago (in France) and got these results.



Wayne
★★★★★

<http://www.examslabs.com/>

Latest Study Materials, Valid Dumps - ExamsLabs

Exam : HP0-242

Title : Supporting the ESL9000

Vendors : HP

Version : DEMO

NO.1 From which Operator Control Panel screen can you configure library options?

- A.License
- B.Tapes
- C.Services
- D.Operator

Correct:D

NO.2 Which connection type has the highest priority when connecting to a Network Storage Router

(NSR) through the Interface Manager card?

- A.Command View ESL
- B.Telnet
- C.FTP
- D.Serial

Correct:D

NO.3 On which Operator Control Panel screen can you read error logs?

- A.Overview
- B.Tapes
- C.Operator
- D.Service

Correct:C

NO.4 The Use Barcodes button on the Systest Library screen of an ESL library is activated. What

occurs?

- A.Selected cartridges are swapped during the test, based on the barcode label.
- B.Barcodes are read as cartridges are swapped.
- C.Cartridges are not swapped; barcodes are used to simulate cartridge swapping.
- D.Cartridges are returned to the previous location after the test terminates.

Correct:B

NO.5 What is the default baud rate for configuring the Fibre Channel interface card through

the serial

connection?

- A.9600
- B.19200
- C.57600

D.115200

Correct:D

NO.6 The cascade port of the Interface Manager card in an ESL library uses ____.

A.DHCP by default to acquire an IP address across the network

B.a pre-assigned, customizable IP address

C.no IP address by default; you must set it during the configuration process

D.a hardcoded IP address that cannot be changed

Correct:D

NO.7 What is the format of the ESL Interface Manager Command Line Interface command prompt?

A.CLI >

B./ >

C.IM >

D. >

Correct:B

NO.8 The Actions button on a Command View ESL screen is used to ____.

A.perform the selected action

B.open a menu of currently available actions

C.display information about the current action

D.take control over the current action

Correct:B

NO.9 The Interface Manager card in an ESL library connects to the Fibre Channel Interface Controllers

across a ____.

A.PCI bus

B.multimode Fibre Channel cable

C.private Ethernet cable

D.serial cable

Correct:C

NO.10 What is the maximum number of times an HP Ultrium cleaning cartridge can be used?

A.5

B.10

C.15

D.20

Correct:C