

# ExamsLabs

ExamsLabs

HOME

ALL VENDORS

GUARANTEE

FAQ

TESTIMONIALS

CART (0)

## Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.



Select a vendor...

Select an test...

Your email address

Free Download Demo

Try **Online Engine** before you buy

Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.

PDF format: Easy to read and print learning materials, our products are available in PDF file format.

Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.

### What Client's Say

*"I passed today with score 80%. I confirm that it's valid in UK. Focus on "Correct answer" and forget the "Answer X from real test". I had free new questions.*



Sebastian  
★★★★★

*"Questions from this HPE0-S51 dump are 100% valid... not all answers. I passed this exam a few days ago (in France) and got these results.*



Wayne  
★★★★★

<http://www.examslabs.com/>

Latest Study Materials, Valid Dumps - ExamsLabs

**Exam :** HP0-790

**Title :** HP ProCurve Routing Switch  
Essentials v5.21

**Vendors :** HP

**Version :** DEMO

NO.1 What is the size of the address range specified in the following ACL entry? access-list 1 permit

192.168.192.0 0.0.1.255?

A.256 addresses

B.512 addresses

C.1,024 addresses

D.65,536 addresses

E.16,777,216 addresses

Correct:B

NO.2 A customer network includes a ProCurve Routing Switch 9300m and several 5300xl switches. If

the 5300s are configured at default, which protocol must be enabled on the 9300m in order for all

the switches to participate in a single Spanning Tree domain?

A.IEEE 802.1X

B.IEEE 802.1Q

C.IEEE 802.1s

D.IEEE 802.1w

Correct:D

NO.3 The administrator of a ProCurve Routing Switch 9300m enters spanning-tree in the global

configuration context. Which Spanning Tree topology is enabled on the switch?

A.Single-instance Spanning Tree

B.Rapid Spanning Tree

C.Extended Spanning Tree

D.Per-VLAN Spanning Tree

Correct:D

NO.4 You must set 802.1w Bridge Priorities for a ProCurve Routing Switch 9300m and a Switch 5300xl.

What is a difference between the Bridge Priority settings on these two models?

A.On the 9300m, the Bridge Priority is set at actual value. The 5300xl uses a multiplier.

B.The 9300m supports 4096 Bridge Priority values. The 5300xl supports 16.

C.On the 5300xl, 0 is the lowest Bridge Priority. On the 9300m, 0 is the normal priority.

D.The 5300xl supports a separate Bridge Priority for each STP instance. On the 9300m, a single priority

is applied to all STP instances.

Correct:A

NO.5 The global context in the running configuration of a ProCurve Routing Switch 9300m includes

the spanning-tree single 802-1w command. However, each of the VLAN contexts includes the

spanning-tree command. How will the switch implement Spanning Tree?

A.The switch will implement the Spanning Tree version included in BPDUs it receives from neighbors.

B.The switch will implement a single instance of IEEE 802.1w.

C.The switch will not join a Spanning Tree because of the mismatch between configured versions.

D.The switch will implement per-VLAN IEEE 802.1D and ignore the global configuration command.

Correct:B